



**INTERNATIONAL MEDICATION SYSTEMS, LIMITED**

1886 Santa Anita Avenue  
South El Monte, California 91733  
Telephone: (800) 423 4136 • (626) 442 6757  
Fax: (626) 443 2481

**REVISION 9/5/2007  
FIELD CORRECTION**

August 30, 2007

RE: Atropine Sulfate Injection, USP, 0.1mg/mL, 5mL and 10mL

Dear Customer,

Effective immediately, International Medication Systems, Ltd. (IMS) is revising the expiration date for its Atropine Sulfate Injection, USP, 0.1mg/mL, 10mL with NDC# 0548-1039-00, 0548-2039-00, and 0548-3339-00 and Atropine Sulfate Injection, USP, 0.1 mg/mL, 5 mL with NDC# 0548-3338-00. The shelf life is being revised from 36 months to 18 months, which is 18 months earlier than the printed expiration date on the unit carton.

The change of expiration date is necessary due to the product's potential failure to maintain potency beyond 18 months after the manufacturing date. This is a precautionary measure, and the risk of any potential health hazard is low. This notification is being made with the knowledge of the Food and Drug Administration.

The following are the list of product lots with the revised expiration date.

NDC#: 0548-1039-00	Atropine Sulfate Injection, USP, 0.1mg/mL, 10mL
Lot#	Revised Expiration Date
AS015J4	3/2006
AS021B5	7/2006
AS028E5	10/2006
AS037J5	3/2007
AS043A6	6/2007
AS047C6	8/2007
AS052E6	10/2007
AS060I6	2/2008
AS070B7	7/2008

NDC#: 0548-2039-00	Atropine Sulfate Injection, USP, 0.1mg/mL, 10mL
Lot#	Revised Expiration Date
AS015J4	3/2006
AS016K4	4/2006
AS019A5	6/2006
AS021B5	7/2006
AS025D5	9/2006
AS026D5	9/2006
<del>AS030G5</del> AS030F5	11/2006

(continued)

NDC#: 0548-2039-00	Atropine Sulfate Injection, USP, 0.1mg/mL, 10mL
Lot#	Revised Expiration Date
AS037J5	3/2007
AS038J5	3/2007
AS043A6	6/2007
AS046C6	8/2007
AS049D6	9/2007
AS052E6	10/2007
AS057I6	2/2008
AS060I6	2/2008
AS070B7	7/2008
AS073E7	10/2008

NDC#: 0548-3339-00	Atropine Sulfate Injection, USP, 0.1mg/mL, 10mL
Lot#	Revised Expiration Date
AS015J4	3/2006
AS016K4	4/2006
AS018L4	5/2006
AS019A5	6/2006
AS020A5	6/2006
AS022B5	7/2006
AS023D5	9/2006
AS027E5	10/2006
AS028E5	10/2006

<del>AS030G5</del> AS030F5	11/2006
AS035I5	2/2007
AS039K5	4/2007
AS041L5	5/2007
AS042A6	6/2007
AS044B6	7/2007
AS047C6	8/2007
AS049D6	9/2007
AS051E6	10/2007
AS053E6	10/2007

AS055G6	12/2007
AS058H6	<del>4/2007</del> 1/2008
AS057I6	2/2008
AS061J6	3/2008
AS062J6	3/2008
AS064K6	4/2008
AS066K6	4/2008

(continued)

NDC#: 0548-3339-00	Atropine Sulfate Injection, USP, 0.1mg/mL, 10mL
Lot#	Revised Expiration Date
AS068A7	6/2008
AS069B7	7/2008
AS072D7	9/2008
AS073E7	10/2008
AS074E7	10/2008
AS076F7	11/2008

NDC# 0548-3338-00	Atropine Sulfate Injection, USP, 0.1mg/mL, 5mL
Lot #	Revised Expiration Date
AR072A5	6/2006
AR073C5	8/2006
AR075D5	9/2006
AR078H5	1/2007
AR080J5	3/2007
AR081L5	5/2007
AR083A6	6/2007
AR084C6	8/2007
AR085F6	11/2007
AR086H6	1/2008
AR088J6	3/2008
AR089J6	3/2008

We apologize for any inconvenience that this has caused you and your facility. Should you decide to return the products that you have, IMS will fully reimburse you for any returns of the Atropine lots listed above.

Thank you for your continued support of IMS products.

Sincerely,



Stephen A. Campbell, Esq.  
Senior Vice President, Regulatory Affairs